

RECLAMATION

Managing Water in the West

We Invite Your Comments!

Southern Delivery System Draft Environmental Impact Statement

Name*	Velma L Campbell MD	Date	4/2/08
Company /Organization			
Street Address	149 W. 29 th St, #348		
City, State, Zip	Pueblo CO 81008		
E-mail	vlcampb@comcast.net		

* Our practice is to make comments, including names and home addresses of respondents, available for public review. Individual respondents may request that we withhold their home address from public disclosure, which we will honor to the extent allowable by law. There also may be circumstances in which we would withhold a respondent's identity from public disclosure, as allowable by law. If you wish us to withhold your name and/or address, you must state this prominently at the beginning of your comment. We will make all submissions from organizations or businesses, and from individuals identifying themselves as representatives or officials of organizations or businesses, available for public disclosure in their entirety.

Comments are considered substantive if they:

- Question, with reasonable basis, the accuracy of the information in the document
- Question, with reasonable basis, the adequacy of the environmental analysis
- Present reasonable alternatives other than those presented in the Environmental Impact Statement
- Cause changes or revisions in the alternatives
- Provide new or additional information relevant to the analysis

Would like your name and address withheld from public disclosure*? YES NO

Comments: I am formally requesting a formal public hearing regarding the draft EIS because the EIS process thus far does not allow for full & fair public participation in the NEPA process, especially since the end of the comment period is the same month as this open house. We also need an extension of the comment period due to the lateness of this open house with respect to this EIS.

Please continue on reverse side



U.S. Department of the Interior
Bureau of Reclamation

Comments (continued):

Regarding the current alternative:

1. Any proposal must include requirement that CSCO maximally treat & reuse existing waste waters, including that which would enter the Fountain Creek. No waste water discharge or return should be allowed upstream of the Fountain.

2. Water take out should be taken out below the Fountain or at least below the dam. The return or waste water should be treated or recycled before discharge to the Fountain.

3. Take out below the dam would still allow the Springs to exercise their water right because the water being released is stored in the reservoirs.

Thank you for your comments

Please send any additional comments to the mailing address, e-mail address, or facsimile number below. All comments must be received by **April 29, 2008**.

Attn: Ms. Kara Lamb
Bureau of Reclamation
Eastern Colorado Area Office
11056 W. County Road 18E
Loveland, CO 80537-9711
E-mail: klamb@gp.usbr.gov
Facsimile: (970) 663-3212